

SAITEX-MN

Manicotti cilindrici standard di tela abrasiva
Manchons cylindriques standard en toile abrasive
 Standard abrasive cloth sleeves
Manguitos cilindricos standard de tela abrasiva



1A-X

Tela con corindone, doppia resina.
 Elevata resistenza.

Toile en corindon, double résine.
Résistance élevée.

Full resin bonded aluminium oxide
 cloth. High durability.

Tela en corindón, doble resina.
Elevada resistencia.

APPLICAZIONI

- ACCIAI
- LEGNO
- CUOIO E PELLI
- ▲ ACCIAI LEGATI
- ▲ METALLI NON FERROSI

PRÉCONISATIONS

- ACIERS
- BOIS
- CUIR ET PEAUX
- ▲ ACIERS ALLIÉS
- ▲ MÉTAUX NON FERREUX


APPLICATIONS

- STEELS
- WOOD
- LEATHER
- ▲ ALLOY STEELS
- ▲ NON-FERROUS METALS

APLICACIONES

- ACEROS
- MADERA
- CUERO Y PIELES
- ▲ ACEROS ALEADOS
- ▲ METALES NO FÉRRICOS

		Ø x H					
SAITEX-MN	1A-X	45 x 30	P-40	39500	W2		300
SAITEX-MN	1A-X	45 x 30	P-50	39501	W2		300
SAITEX-MN	1A-X	45 x 30	P-60	39502	W2		300
SAITEX-MN	1A-X	45 x 30	P-80	39503	W2		300
SAITEX-MN	1A-X	60 x 30	P-36	39505	W2		300
SAITEX-MN	1A-X	60 x 30	P-40	39506	W2		300
SAITEX-MN	1A-X	60 x 30	P-50	39507	W2		300
SAITEX-MN	1A-X	60 x 30	P-60	39508	W2		300
SAITEX-MN	1A-X	60 x 30	P-80	39509	W2		300
SAITEX-MN	1A-X	60 x 50	P-36	39511	W2		200
SAITEX-MN	1A-X	60 x 50	P-40	39512	W2		200
SAITEX-MN	1A-X	60 x 50	P-60	39513	W2		200
SAITEX-MN	1A-X	60 x 50	P-80	39514	W2		200
SAITEX-MN	1A-X	90 x 35	P-60	39520	W2		200
SAITEX-MN	1A-X	90 x 35	P-80	39521	W2		200
SAITEX-MN	1A-X	140 x 35	P-24	39539	W2		100
SAITEX-MN	1A-X	140 x 35	P-40	39541	W2		100
SAITEX-MN	1A-X	140 x 35	P-50	39542	W2		100
SAITEX-MN	1A-X	140 x 35	P-60	39543	W2		100
SAITEX-MN	1A-X	140 x 35	P-80	39544	W2		100
SAITEX-MN	1A-X	140 x 35	P-100	39545	W2		100
SAITEX-MN	1A-X	140 x 35	P-120	39546	W2		100
SAITEX-MN	1A-X	140 x 35	P-150	39547	W2		100
SAITEX-MN	1A-X	200 x 50	P-40	39549	W2		100
SAITEX-MN	1A-X	200 x 50	P-50	39550	W2		100
SAITEX-MN	1A-X	200 x 50	P-60	39551	W2		100
SAITEX-MN	1A-X	200 x 50	P-80	39552	W2		100
SAITEX-MN	1A-X	200 x 50	P-100	39553	W2		100
SAITEX-MN	1A-X	200 x 50	P-120	39554	W2		100
SAITEX-MN	1A-X	200 x 50	P-150	39555	W2		100



- applicazioni principali / *préconisations principales* / main applications / *aplicaciones principales*
- ▲ possibile utilizzo / *utilisations possibles* / possible use / *posible uso*

SAITEX-MN

Manicotti cilindrici standard di tela abrasiva
Manchons cylindriques standard en toile abrasive
 Standard abrasive cloth sleeves
Manguitos cilindricos standard de tela abrasiva



Z-H

Tela con zirconio, doppia resina, su poliestere. Resistente all'acqua.

Toile en zirconium, double résine, sur polyester. Résistant à l'eau.

Full resin bonded zirconia cloth, polyester backing. Water resistant.

Tela en zirconio, doble resina, sobre poliéster. Resistente al agua.

APPLICAZIONI

- ACCIAI
- ACCIAI LEGATI
- ACCIAI INOSSIDABILI
- METALLI NON FERROSI
- CUOIO E PELLI
- ▲ GHISE

PRÉCONISATIONS

- ACIERS
- ACIERS ALLIÉS
- ACIERS INOXYDABLES
- MÉTAUX NON FERREUX
- CUIR ET PEAUX
- ▲ FONTES


APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS
- LEATHER
- ▲ CAST IRON

APLICACIONES

- ACEROS
- ACEROS ALEADOS
- ACEROS INOXIDABLES
- METALES NO FÉRRICOS
- CUERO Y PIELES
- ▲ FUNDICIONES

		Ø x H				
SAITEX-MN	Z-H	45 x 30	36	39579	W2	300
SAITEX-MN	Z-H	45 x 30	40	39580	W2	300
SAITEX-MN	Z-H	45 x 30	50	39581	W2	300
SAITEX-MN	Z-H	45 x 30	60	39582	W2	300
SAITEX-MN	Z-H	45 x 30	80	39583	W2	300
SAITEX-MN	Z-H	60 x 30	36	39584	W2	300
SAITEX-MN	Z-H	60 x 30	40	39585	W2	300
SAITEX-MN	Z-H	60 x 30	50	39776	W2	300
SAITEX-MN	Z-H	60 x 30	60	39586	W2	300
SAITEX-MN	Z-H	60 x 30	80	39587	W2	300
SAITEX-MN	Z-H	60 x 50	36	39566	W2	200
SAITEX-MN	Z-H	60 x 50	40	39609	W2	200
SAITEX-MN	Z-H	60 x 50	50	39589	W2	200
SAITEX-MN	Z-H	60 x 50	60	39590	W2	200
SAITEX-MN	Z-H	60 x 50	80	39591	W2	200
SAITEX-MN	Z-H	90 x 35	40	39561	W2	200
SAITEX-MN	Z-H	90 x 35	60	39593	W2	200
SAITEX-MN	Z-H	90 x 35	80	39652	W2	200
SAITEX-MN	Z-H	100 x 60	40	39594	W2	100
SAITEX-MN	Z-H	100 x 60	50	39592	W2	100
SAITEX-MN	Z-H	100 x 60	60	39595	W2	100
SAITEX-MN	Z-H	100 x 60	80	39596	W2	100
SAITEX-MN	Z-H	200 x 50	36	39603	W2	100
SAITEX-MN	Z-H	200 x 50	40	39604	W2	100
SAITEX-MN	Z-H	200 x 50	50	39558	W2	100
SAITEX-MN	Z-H	200 x 50	60	39606	W2	100
SAITEX-MN	Z-H	200 x 50	80	39607	W2	100



■ applicazioni principali / *préconisations principales* / main applications / *aplicaciones principales*

▲ possibile utilizzo / *utilisations possibles* / possible use / *posible uso*

SAITEX-MN

Manicotti cilindrici standard di tela abrasiva
Manchons cylindriques standard en toile abrasive
 Standard abrasive cloth sleeves
Manguitos cilindricos standard de tela abrasiva



5Z-H EVOLUTION

Tela con zirconio, doppia resina, su poliestere. Resistente all'acqua.

Toile en zirconium, double résine, sur polyester. Résistant à l'eau.

Full resin bonded zirconia cloth, polyester backing. Water resistant.

Tela en zirconio, doble resina, sobre poliéster. Resistente al agua.

APPLICAZIONI

- ACCIAI
- ACCIAI INOSSIDABILI
- METALLI NON FERROSI
- CUOIO E PELLI

PRÉCONISATIONS

- ACIERS
- ACIERS INOXYDABLES
- MÉTAUX NON FERREUX
- CUIR ET PEAUX

APPLICATIONS

- STEELS
- STAINLESS STEELS
- NON-FERROUS METALS
- LEATHER

APLICACIONES

- ACEROS
- ACEROS INOXIDABLES
- METALES NO FÉRRICOS
- CUERO Y PIELES

		Ø x H					
SAITEX-MN	5Z-H	140 x 35	24	39627	stock		100
SAITEX-MN	5Z-H	140 x 35	36	39628	W2		100
SAITEX-MN	5Z-H	140 x 35	40	39629	W2		100
SAITEX-MN	5Z-H	140 x 35	50	39630 °	W2		100
SAITEX-MN	5Z-H	140 x 35	60	39631	W2		100
SAITEX-MN	5Z-H	140 x 35	80	39516	W2		100

ZO-H EVOLUTION

Tela con zirconio, doppia resina, su poliestere, cosparsione spaziata.

Toile en zirconium, double résine, sur polyester structure espacée.

Full resin bonded zirconia cloth, polyester backing, extra open coating.

Tela de zirconio, doble resina, estructura espaciada.

APPLICAZIONI

- METALLI NON FERROSI
- CUOIO E PELLI

PRÉCONISATIONS

- MÉTAUX NON FERREUX
- CUIR ET PEAUX

APPLICATIONS

- NON-FERROUS METALS
- LEATHER

APLICACIONES

- METALES NO FÉRRICOS
- CUERO Y PIELES

		Ø x H					
SAITEX-MN	ZO-H	140 x 35	24	39608 °	W2		100

9S-H

Tela con abrasivo ceramico, doppia resina, top filled, su poliestere. Basso surriscaldamento.

Toile en abrasif céramique, double résine, auto-lubrifiée, support polyester. Faible suréchauffement.

Full resin bonded ceramic abrasive cloth, top-filled, polyester backing. Low heat generation.

Tela con abrasivo cerámico, doble resina, top-filled, sobre poliéster. Bajo calentamiento.

APPLICAZIONI

- ACCIAI INOSSIDABILI
- ACCIAI LEGATI

PRÉCONISATIONS

- ACIERS INOXYDABLES
- ACIERS ALLIÉS


APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS

APLICACIONES

- ACEROS INOXIDABLES
- ACEROS ALEADOS

		Ø x H					
SAITEX-MN	9S-H	30 x 30 NEW	50	39647	W2		200
SAITEX-MN	9S-H	30 x 30 NEW	80	39648	W2		200
SAITEX-MN	9S-H	30 x 30 NEW	120	39588	W2		200
SAITEX-MN	9S-H	45 x 30	50	39638	W2		200
SAITEX-MN	9S-H	45 x 30	60	39617	W2		200
SAITEX-MN	9S-H	45 x 30	80	39639	W2		200
SAITEX-MN	9S-H	45 x 30	120	39597	W2		200
SAITEX-MN	9S-H	60 x 30	50	39640	W2		200
SAITEX-MN	9S-H	60 x 30	60	39548	W2		200
SAITEX-MN	9S-H	60 x 30	80	39641	W2		200
SAITEX-MN	9S-H	60 x 30	120	39598	W2		200



- applicazioni principali / préconisations principales / main applications / aplicaciones principales
- ▲ possibile utilizzo / utilisations possibles / possible use / posible uso