

SAITEX-RI

Rotoli industriali di tela abrasiva
Rouleaux industriels en toile abrasive
Industrial abrasive cloth rolls
Rollos industriales de tela abrasiva



DA-F

Tela flessibile con corindone,
doppia resina, cosparsione aperta.
Per lavorazioni manuali.

Toile flexible en corindon, double
résine, structure ouverte.
Pour usage manuel.

Flexible full resin bonded
aluminium oxide cloth, open
coating. For hand operations.

Tela flexible en corindón, doble
resina, estructura abierta.
Para trabajos manuales.

APPLICAZIONI

- LEGNO
- ACCIAI
- ▲ METALLI NON FERROSI
- ▲ CUOIO E PELLI

PRÉCONISATIONS

- BOIS
- ACIERS
- ▲ MÉTAUX NON FERREUX
- ▲ CUIR ET PEAUX

APPLICATIONS

- WOOD
- STEELS
- ▲ NON-FERROUS METALS
- ▲ LEATHER

APLICACIONES

- MADERA
- ACEROS
- ▲ METALES NO FÉRRICOS
- ▲ CUERO Y PIELS

						
SAITEX-RI	DA-F	100 x 50 m	P-60	16188	stock	1
SAITEX-RI	DA-F	100 x 50 m	P-80	16191	stock	1
SAITEX-RI	DA-F	100 x 50 m	P-100	16194	W4	1
SAITEX-RI	DA-F	100 x 50 m	P-120	16197	stock	1
SAITEX-RI	DA-F	100 x 50 m	P-150	16200	stock	1
SAITEX-RI	DA-F	100 x 50 m	P-180	16203	W4	1
SAITEX-RI	DA-F	100 x 50 m	P-220	16206	W4	1
SAITEX-RI	DA-F	100 x 50 m	P-240	16209	W4	1
SAITEX-RI	DA-F	100 x 50 m	P-320	16212	W4	1
SAITEX-RI	DA-F	100 x 50 m	P-400	16215	W4	1
SAITEX-RI	DA-F	120 x 50 m	P-36	16271	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-40	16245	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-50	16186	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-60	16189	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-80	16192	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-100	16195	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-120	16198	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-150	16201	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-180	16204	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-220	16207	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-240	16210	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-320	16213	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-400	16216	stock	1

MA-F

Tela super flessibile con corindone,
doppia resina, cosparsione aperta.
Per lavorazioni manuali.

Toile super flexible en corindon,
double résine, structure ouverte.
Pour usage manuel.

Full resin bonded aluminium oxide
cloth, open coating, very flexible.
For hand operations.

Tela super flexible en corindón,
doble resina, estructura abierta.
Para trabajos manuales.

APPLICAZIONI

- LEGNO
- ACCIAI
- METALLI NON FERROSI

PRÉCONISATIONS

- BOIS
- ACIERS
- MÉTAUX NON FERREUX

APPLICATIONS

- WOOD
- STEELS
- NON-FERROUS METALS

APLICACIONES

- MADERA
- ACEROS
- METALES NO FÉRRICOS

						
SAITEX-RI	MA-F	120 x 50 m	P-60	20799 °	stock	1
SAITEX-RI	MA-F	120 x 50 m	P-80	20800 °	stock	1
SAITEX-RI	MA-F	120 x 50 m	P-100	20801 °	stock	1
SAITEX-RI	MA-F	120 x 50 m	P-120	20802 °	stock	1
SAITEX-RI	MA-F	120 x 50 m	P-150	20803 °	stock	1
SAITEX-RI	MA-F	120 x 50 m	P-180	20804 °	stock	1
SAITEX-RI	MA-F	120 x 50 m	P-220	20805 °	W4	1
SAITEX-RI	MA-F	120 x 50 m	P-240	20806 °	W4	1
SAITEX-RI	MA-F	120 x 50 m	P-320	16274 °	W4	1
SAITEX-RI	MA-F	120 x 50 m	P-400	20809 °	W4	1

■ applicazioni principali / préconisations principales / main applications / aplicaciones principales

▲ possibile utilizzo / utilisations possibles / possible use / posible uso

SAITEX-RI

Rotoli industriali di tela abrasiva
Rouleaux industriels en toile abrasive
Industrial abrasive cloth rolls
Rollos industriales de tela abrasiva



EA-F

Tela super flessibile con corindone, doppia resina, cosparsione aperta. Per lavorazioni manuali e meccaniche.

Toile super flexible en corindon, double résine, structure ouverte. Pour usinages manuels et mécaniques.

Full resin bonded aluminium oxide cloth, open coating, very flexible. For hand and mechanical operations.

Tela super flexible en corindón, doble resina, estructura abierta. Para trabajos manuales y mecánicos.

APPLICAZIONI

- LEGNO
- ACCIAI
- ▲ METALLI NON FERROSI

PRÉCONISATIONS

- BOIS
- ACIERS
- ▲ MÉTAUX NON FERREUX

APPLICATIONS

- WOOD
- STEELS
- ▲ NON-FERROUS METALS

APLICACIONES

- MADERA
- ACEROS
- ▲ METALES NO FÉRRICOS

						
SAITEX-RI	EA-F	38 x 50 m	P-50	16842	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-60	16856	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-80	16812	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-100	16839	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-120	16813	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-150	16843	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-180	16814	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-220	16815	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-240	16875	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-280	16840	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-320	16841	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-400	16876	W4	4
SAITEX-RI	EA-F	50 x 50 m	P-40	16240	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-50	16266	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-60	16241	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-80	16242	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-100	16288	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-120	16264	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-150	16289	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-180	16290	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-220	16243	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-240	16291	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-280	16596	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-320	16292	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-400	16293	stock	2
SAITEX-RI	EA-F	75 x 50 m	P-60	16464 °	W4	2
SAITEX-RI	EA-F	75 x 50 m	P-80	16465 °	W4	2
SAITEX-RI	EA-F	75 x 50 m	P-100	16466 °	W4	2
SAITEX-RI	EA-F	75 x 50 m	P-120	16467 °	W4	2
SAITEX-RI	EA-F	75 x 50 m	P-150	16438 °	W4	2
SAITEX-RI	EA-F	75 x 50 m	P-180	16263 °	W4	2
SAITEX-RI	EA-F	75 x 50 m	P-220	16468 °	W4	2
SAITEX-RI	EA-F	75 x 50 m	P-240	16469 °	W4	2
SAITEX-RI	EA-F	75 x 50 m	P-320	16470 °	W4	2

■ applicazioni principali / préconisations principales / main applications / aplicaciones principales
▲ possibile utilizzo / utilisations possibles / possible use / posible uso

SAITEX-RI

Rotoli industriali di tela abrasiva
Rouleaux industriels en toile abrasive
Industrial abrasive cloth rolls
Rollos industriales de tela abrasiva



EA-F

Tela super flessibile con corindone, doppia resina, cosparsione aperta. Per lavorazioni manuali e meccaniche.

Toile super flexible en corindon, double résine, structure ouverte. Pour usinages manuels et mécaniques.

Full resin bonded aluminium oxide cloth, open coating, very flexible. For hand and mechanical operations.

Tela super flexible en corindón, doble resina, estructura abierta. Para trabajos manuales y mecánicos.

APPLICAZIONI

- LEGNO
- ACCIAI
- ▲ METALLI NON FERROSI

PRÉCONISATIONS

- BOIS
- ACIERS
- ▲ MÉTAUX NON FERREUX

APPLICATIONS

- WOOD
- STEELS
- ▲ NON-FERROUS METALS

APLICACIONES

- MADERA
- ACEROS
- ▲ METALES NO FÉRRICOS

						
SAITEX-RI	EA-F	100 x 50 m	P-60	16028	stock	1
SAITEX-RI	EA-F	100 x 50 m	P-80	16029	stock	1
SAITEX-RI	EA-F	100 x 50 m	P-100	16030	stock	1
SAITEX-RI	EA-F	100 x 50 m	P-120	16031	stock	1
SAITEX-RI	EA-F	100 x 50 m	P-150	16032	W4	1
SAITEX-RI	EA-F	100 x 50 m	P-180	16033	stock	1
SAITEX-RI	EA-F	100 x 50 m	P-220	16034	W4	1
SAITEX-RI	EA-F	100 x 50 m	P-240	16035	W4	1
SAITEX-RI	EA-F	100 x 50 m	P-280	16597	W4	1
SAITEX-RI	EA-F	100 x 50 m	P-320	16036	W4	1
SAITEX-RI	EA-F	100 x 50 m	P-400	16037	W4	1
SAITEX-RI	EA-F	120 x 50 m	P-36	16074	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-40	16075	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-50	16076	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-60	16077	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-80	16078	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-100	16079	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-120	16080	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-150	16081	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-180	16082	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-220	16083	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-240	16084	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-280	16598	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-320	16085	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-400	16086	stock	1

■ applicazioni principali / préconisations principales / main applications / aplicaciones principales

▲ possibile utilizzo / utilisations possibles / possible use / posible uso

SAITEX-RI

Rotoli industriali di tela abrasiva
Rouleaux industriels en toile abrasive
Industrial abrasive cloth rolls
Rollos industriales de tela abrasiva



KA-F

Tela con corindone, doppia resina.
Elevata flessibilità.

Toile en corindon, double résine.
Flexibilité élevée.

Full resin bonded aluminium oxide
cloth. High flexibility.

Tela en corindón, doble resina.
Elevada flexibilidad.

APPLICAZIONI

- ACCIAI
- METALLI NON FERROSI
- ▲ LEGNO
- ▲ CUOIO E PELLI

PRÉCONISATIONS

- ACIERS
- MÉTAUX NON FERREUX
- ▲ BOIS
- ▲ CUIR ET PEAUX

APPLICATIONS


- STEELS
- NON-FERROUS METALS
- ▲ WOOD
- ▲ LEATHER

APLICACIONES

- ACEROS
- METALES NO FÉRRICOS
- ▲ MADERA
- ▲ CUERO Y PIELES

						
SAITEX-RI	KA-F	50 x 50 m	P-60	16001	stock	2
SAITEX-RI	KA-F	50 x 50 m	P-80	16002	stock	2
SAITEX-RI	KA-F	50 x 50 m	P-100	16003	stock	2
SAITEX-RI	KA-F	50 x 50 m	P-120	16004	stock	2
SAITEX-RI	KA-F	50 x 50 m	P-150	16005	stock	2
SAITEX-RI	KA-F	50 x 50 m	P-180	16006	stock	2
SAITEX-RI	KA-F	50 x 50 m	P-220	16007	stock	2
SAITEX-RI	KA-F	50 x 50 m	P-240	16008	W4	2
SAITEX-RI	KA-F	50 x 50 m	P-280	16009 °	W4	2
SAITEX-RI	KA-F	50 x 50 m	P-320	16010	W4	2
SAITEX-RI	KA-F	50 x 50 m	P-400	16011	W4	2
SAITEX-RI	KA-F	120 x 50 m	P-60	16087	stock	1
SAITEX-RI	KA-F	120 x 50 m	P-80	16088	stock	1
SAITEX-RI	KA-F	120 x 50 m	P-100	16089	stock	1
SAITEX-RI	KA-F	120 x 50 m	P-120	16090	stock	1
SAITEX-RI	KA-F	120 x 50 m	P-150	16091	stock	1
SAITEX-RI	KA-F	120 x 50 m	P-180	16092	stock	1
SAITEX-RI	KA-F	120 x 50 m	P-220	16093	stock	1
SAITEX-RI	KA-F	120 x 50 m	P-240	16094	W4	1
SAITEX-RI	KA-F	120 x 50 m	P-280	16095	W4	1
SAITEX-RI	KA-F	120 x 50 m	P-320	16096	W4	1
SAITEX-RI	KA-F	120 x 50 m	P-400	16097	W4	1

■ applicazioni principali / préconisations principales / main applications / aplicaciones principales
▲ possibile utilizzo / utilisations possibles / possible use / posible uso



AZ-X

Tela in polycotton con miscela corindone/zirconio, doppia resina. Utilizzo con pressioni di lavoro elevate. Ottima resistenza meccanica.

Toile en polycotton avec mélange corindon/zirconium, double résine. Utilisation avec pressions de travail élevées. Excellente résistance mécanique.

Full resin bonded abrasive polycotton cloth with aluminium oxide/zirconia mix. For operations in heavy duty applications. Excellent durability.

Tela en polialgodón con mezcla de corindón/zirconio, doble resina. Uso con presiones de trabajo elevadas. Óptima resistencia mecánica.

APPLICAZIONI

- ACCIAI
- ACCIAI LEGATI
- METALLI NON FERROSI
- PARQUET

PRÉCONISATIONS

- ACIERS
- ACIERS ALLIÉS
- MÉTAUX NON FERREUX
- PARQUET

APPLICATIONS

- STEELS
- ALLOY STEELS
- NON-FERROUS METALS
- WOODEN FLOOR

APLICACIONES

- ACEROS
- ACEROS ALEADOS
- METALES NO FÉRRICOS
- PARQUET

						
SAITEX-RI	AZ-X	205 x 50 m	24	17075	W4	1
SAITEX-RI	AZ-X	205 x 50 m	36	16809	stock	1
SAITEX-RI	AZ-X	205 x 50 m	40	16810	W4	1
SAITEX-RI	AZ-X	205 x 50 m	50	16811	W4	1
SAITEX-RI	AZ-X	205 x 50 m	60	16816	stock	1
SAITEX-RI	AZ-X	205 x 50 m	80	16817	stock	1
SAITEX-RI	AZ-X	205 x 50 m	100	16818	W4	1
SAITEX-RI	AZ-X	205 x 50 m	120	16819	W4	1
SAITEX-RI	AZ-X	255 x 50 m	24	17076 °	W4	1
SAITEX-RI	AZ-X	255 x 50 m	36	17036 °	W4	1
SAITEX-RI	AZ-X	255 x 50 m	40	17037 °	W4	1
SAITEX-RI	AZ-X	255 x 50 m	60	17039 °	W4	1

SAITEX-RI 300 x 50 m

Rotoli industriali di tela abrasiva
Rouleaux industriels en toile abrasive
 Industrial abrasive cloth rolls
Rollos industriales de tela abrasiva



PRODOTTI PRODUITS PRODUCTS PRODUCTOS	GRANE DISPONIBILI / GRAINS DISPONIBLES AVAILABLE GRITS / GRANOS DISPONIBLES																	
	24	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600
DA-F		•	•	•	•	•	•	•	•	•	•	•		•		•		
MA-F			•		•	•	•	•	•	•	•	•		•			•	
EA-F		•	•	•	•	•	•	•	•	•	•	•	•	•		•		•
EA-S						◦	◦	•	•	•	•	•	◦	•		•		
NA-F					◦	◦	◦	◦	◦	◦		◦						
KA-F					•	•	•	•	•	•	•	•	•	•		•		
KA-J					◦	◦	◦	◦	◦	◦								
2A-F					◦	•	•	•	•	•	•	•	◦	•		•	•	•
1A-J					•	•	•	•	•	•	•	•	◦	•		•		
PA-F			◦			◦	◦	◦	◦	◦	◦	◦	◦	◦		◦		◦
A0-X	•	•	•	•	•	•	•	•	•	•								
LA-X			•	•	•	•	•	•	•	•								
TA-X		•	•	•	•	•	•	•	•	•	•	•		•		•		
1A-X	•	•	•	•	•	•	•	•	•	•								
2A-X		•	•	◦	•	•	•	•	•	•	•	•	◦	•		•		
3A-X		•	•	◦	•	•	•	•	•	•	•							
2A-H	•	•	•	◦	•	•	•	•	•	•								
AP-H						◦	◦	◦	◦	•	•	•		•		•	◦	◦
AZ-X	•	•	•	•	•	•	•	•	•	•		◦		◦		◦		
Z-X		•	•	◦	•	•		•										
Z-H	•	•	•	•	•	•	•	•										
5Z-H	•	•	•	◦	•													
ZO-H	◦																	
3Z-H	◦	◦	◦	◦	◦	◦		◦										
7S-H	•	•	•	◦	•	•	◦	•										
9S-H	•	•	•	•	•	•	•	•										
9S-J					◦	•	◦	•	◦	•	•	•		•				
C-J									•	•	•	•		•	•			
CP-F					◦	◦	◦			◦				◦				
CX-F			•		•	•	•	•						•				
C-W					•	•	•	•	•	•	•							
CW-W												•		•		•		
C-H	•	•	•	•	•	•	•	•	◦	◦								

Tele per dischi lamellari / *Toiles pour disques à lamelles* / Cloth for flap wheels / *Tela para discos con láminas*

AZ-H			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
PZ-H			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
LZ-X		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•



300 mm



W4



1